



## Performing Database Updates

CREATE TABLE IF NOT EXISTS cpg14xsessions ( session_id varchar(40) NOT NULL default '', user_id int(11) default '0', time int(11) default NULL, remember int(1) default '0', PRIMARY KEY (session_id) ) TYPE=MyISAM COMMENT='Used to store sessions'	OK
CREATE TABLE IF NOT EXISTS cpg14xfiletypes ( extension char(7) NOT NULL default '', mime char(30) default NULL, content char(15) default NULL, KEY extension (extension) ) TYPE=MyISAM COMMENT='Used to store the file extensions'	OK
ALTER TABLE `cpg14xfiletypes` DROP INDEX `EXTENSION`, ADD PRIMARY KEY ( `extension` )	Already Done
ALTER TABLE `cpg14xfiletypes` ADD `player` VARCHAR( 5 )	Already Done
INSERT INTO cpg14xfiletypes VALUES ('jpg', 'image/jpg', 'image', '')	Already Done
INSERT INTO cpg14xfiletypes VALUES ('jpeg', 'image/jpeg', 'image', '')	Already Done
INSERT INTO cpg14xfiletypes VALUES ('jpe', 'image/jpe', 'image', '')	Already Done
INSERT INTO cpg14xfiletypes VALUES ('gif', 'image/gif', 'image', '')	Already Done
INSERT INTO cpg14xfiletypes VALUES ('png', 'image/png', 'image', '')	Already Done
INSERT INTO cpg14xfiletypes VALUES ('psd', 'image/psd', 'image', '')	Already Done
INSERT INTO cpg14xfiletypes VALUES ('bmp', 'image/bmp', 'image', '')	Already Done
INSERT INTO cpg14xfiletypes VALUES ('jpc', 'image/jpc', 'image', '')	Already Done
INSERT INTO cpg14xfiletypes VALUES ('jp2', 'image/jp2', 'image', '')	Already Done
INSERT INTO cpg14xfiletypes VALUES ('jpx', 'image/jpx', 'image', '')	Already Done
INSERT INTO cpg14xfiletypes VALUES ('jb2', 'image/jb2', 'image', '')	Already Done
INSERT INTO cpg14xfiletypes VALUES ('swc', 'image/swc', 'image', '')	Already Done
INSERT INTO cpg14xfiletypes VALUES ('iff', 'image/iff', 'image', '')	Already Done
UPDATE cpg14xconfig SET value='ALL' WHERE name='allowed_img_types'	Already Done
INSERT INTO cpg14xfiletypes VALUES ('asf', 'video/x-ms-asf', 'movie', 'WMP')	Already Done
INSERT INTO cpg14xfiletypes VALUES ('asx', 'video/x-ms-asx', 'movie', 'WMP')	Already Done
INSERT INTO cpg14xfiletypes VALUES ('mpg', 'video/mpeg', 'movie', 'WMP')	Already Done
INSERT INTO cpg14xfiletypes VALUES ('mpeg', 'video/mpeg', 'movie', 'WMP')	Already Done
INSERT INTO cpg14xfiletypes VALUES ('wmv', 'video/x-ms-wmv', 'movie', 'WMP')	Already Done
INSERT INTO cpg14xfiletypes VALUES ('swf', 'application/x-shockwave-flash', 'movie', 'SWF')	Already Done
INSERT INTO cpg14xfiletypes VALUES ('avi', 'video/avi', 'movie', 'WMP')	Already Done
INSERT INTO cpg14xfiletypes VALUES ('mov', 'video/quicktime', 'movie', 'QT')	Already Done

INSERT INTO cpg14xconfig VALUES ('allowed_mov_types', 'ALL')	Already Done
INSERT INTO cpg14xfiletypes VALUES ('mp3', 'audio/mpeg3', 'audio', 'WMP')	Already Done
INSERT INTO cpg14xfiletypes VALUES ('midi', 'audio/midi', 'audio', 'WMP')	Already Done
INSERT INTO cpg14xfiletypes VALUES ('mid', 'audio/midi', 'audio', 'WMP')	Already Done
INSERT INTO cpg14xfiletypes VALUES ('wma', 'audio/x-ms-wma', 'audio', 'WMP')	Already Done
INSERT INTO cpg14xfiletypes VALUES ('wav', 'audio/wav', 'audio', 'WMP')	Already Done
INSERT INTO cpg14xfiletypes VALUES ('ogg', 'audio/ogg', 'audio', '')	Already Done
INSERT INTO cpg14xconfig VALUES ('allowed_snd_types', 'ALL')	Already Done
INSERT INTO cpg14xfiletypes VALUES ('ram', 'audio/x-pn-realaudio', 'document', 'RMP')	Already Done
INSERT INTO cpg14xfiletypes VALUES ('ra', 'audio/x-realaudio', 'document', 'RMP')	Already Done
INSERT INTO cpg14xfiletypes VALUES ('rm', 'audio/x-realmedia', 'document', 'RMP')	Already Done
INSERT INTO cpg14xfiletypes VALUES ('tiff', 'image/tiff', 'document', '')	Already Done
INSERT INTO cpg14xfiletypes VALUES ('tif', 'image/tif', 'document', '')	Already Done
INSERT INTO cpg14xfiletypes VALUES ('doc', 'application/msword', 'document', '')	Already Done
INSERT INTO cpg14xfiletypes VALUES ('txt', 'text/plain', 'document', '')	Already Done
INSERT INTO cpg14xfiletypes VALUES ('rtf', 'text/richtext', 'document', '')	Already Done
INSERT INTO cpg14xfiletypes VALUES ('pdf', 'application/pdf', 'document', '')	Already Done
INSERT INTO cpg14xfiletypes VALUES ('xls', 'application/excel', 'document', '')	Already Done
INSERT INTO cpg14xfiletypes VALUES ('pps', 'application/powerpoint', 'document', '')	Already Done
INSERT INTO cpg14xfiletypes VALUES ('ppt', 'application/powerpoint', 'document', '')	Already Done
INSERT INTO cpg14xfiletypes VALUES ('zip', 'application/zip', 'document', '')	Already Done
INSERT INTO cpg14xfiletypes VALUES ('rar', 'application/rar', 'document', '')	Already Done
INSERT INTO cpg14xfiletypes VALUES ('gz', 'application/gz', 'document', '')	Already Done
INSERT INTO cpg14xfiletypes VALUES ('mdb', 'application/msaccess', 'document', '')	Already Done
INSERT INTO cpg14xconfig VALUES ('allowed_doc_types', 'ALL')	Already Done
UPDATE cpg14xfiletypes SET player='WMP' WHERE extension IN ('asf','asx','mpg','mpeg','wmv','avi','mp3','midi','mid','wma','wav')	OK
UPDATE cpg14xfiletypes SET player='QT' WHERE extension IN ('mov')	OK
UPDATE cpg14xfiletypes SET player='RMP' WHERE extension IN ('ra','ram','rm')	OK
UPDATE cpg14xfiletypes SET player='SWF' WHERE extension IN ('swc','swf')	OK
ALTER TABLE cpg14xcomments add msg_raw_ip tinytext	Already Done
ALTER TABLE cpg14xcomments add msg_hdr_ip tinytext	Already Done

ALTER TABLE cpg14xpictures add pic_raw_ip tinytext	Already Done
ALTER TABLE cpg14xpictures add pic_hdr_ip tinytext	Already Done
INSERT INTO cpg14xconfig VALUES ('thumb_use', 'any')	Already Done
INSERT INTO cpg14xconfig VALUES ('show_private', '0')	Already Done
INSERT INTO cpg14xconfig VALUES ('first_level', '1')	Already Done
INSERT INTO cpg14xconfig VALUES ('display_film_strip', '1')	Already Done
INSERT INTO cpg14xconfig VALUES ('display_film_strip_filename', '0')	Already Done
INSERT INTO cpg14xconfig VALUES ('max_film_strip_items', '5')	Already Done
INSERT INTO cpg14xconfig VALUES ('read_iptc_data', '0')	Already Done
INSERT INTO cpg14xconfig VALUES ('display_uploader', '0')	Already Done
INSERT INTO cpg14xconfig VALUES ('display_filename', '0')	Already Done
INSERT INTO cpg14xconfig VALUES ('reg_notify_admin_email', '0')	Already Done
INSERT INTO cpg14xconfig VALUES ('disable_comment_flood_protect', '0')	Already Done
INSERT INTO cpg14xconfig VALUES ('upl_notify_admin_email', '0')	Already Done
INSERT INTO cpg14xconfig VALUES ('language_list', '0')	Already Done
INSERT INTO cpg14xconfig VALUES ('language_flags', '0')	Already Done
INSERT INTO cpg14xconfig VALUES ('theme_list', '0')	Already Done
INSERT INTO cpg14xconfig VALUES ('language_reset', '1')	Already Done
INSERT INTO cpg14xconfig VALUES ('theme_reset', '1')	Already Done
INSERT INTO cpg14xconfig VALUES ('offline', '0')	Already Done
INSERT INTO cpg14xconfig VALUES ('vanity_block', '1')	Already Done
INSERT INTO cpg14xconfig VALUES ('allow_memberlist', '0')	Already Done
INSERT INTO cpg14xconfig VALUES ('display_faq', '0')	Already Done
INSERT INTO cpg14xconfig VALUES ('views_in_thumbview', '1')	Already Done
INSERT INTO cpg14xconfig VALUES ('show_bbcode_help', '1')	Already Done
INSERT INTO cpg14xconfig VALUES ('log_ecards', '0')	Already Done
INSERT INTO cpg14xconfig VALUES ('email_comment_notification', '0')	Already Done
INSERT INTO cpg14xconfig VALUES ('enable_zipdownload', '1')	Already Done
INSERT INTO cpg14xconfig VALUES ('debug_notice', '0')	Already Done
INSERT INTO cpg14xconfig VALUES ('slideshow_interval', '5000')	Already Done

INSERT INTO cpg14xconfig VALUES ('log_mode', '0')	Already Done
INSERT INTO cpg14xconfig VALUES ('media_autostart', '1')	Already Done
INSERT INTO cpg14xconfig VALUES ('enable_encrypted_passwords','0')	Already Done
ALTER TABLE `cpg14xcategories` ADD `thumb` INT NOT NULL AFTER `parent`	Already Done
ALTER TABLE `cpg14xalbums` ADD `keyword` VARCHAR( 50 ) NOT NULL	Already Done
CREATE TABLE cpg14xbanned ( ban_id int(11) NOT NULL auto_increment, user_id int(11) DEFAULT NULL, ip_addr tinytext, expiry datetime DEFAULT NULL, PRIMARY KEY (ban_id) ) TYPE=MyISAM	Already Done
CREATE TABLE cpg14xexif ( `filename` varchar(255) NOT NULL default "", `exifData` text NOT NULL, UNIQUE KEY `filename` ( `filename` ) ) TYPE=MyISAM	Already Done
CREATE TABLE cpg14xecards ( eid int(11) NOT NULL auto_increment, sender_name varchar(50) NOT NULL default "", sender_email text NOT NULL, recipient_name varchar(50) NOT NULL default "", recipient_email text NOT NULL, link text NOT NULL, date tinytext NOT NULL, sender_ip tinytext NOT NULL, PRIMARY KEY (eid) ) TYPE=MyISAM COMMENT='Used to log ecards'	Already Done
ALTER TABLE `cpg14xusergroups` ADD `upload_form_config` TINYINT(4) DEFAULT '3' NOT NULL	Already Done
ALTER TABLE `cpg14xusergroups` ADD `custom_user_upload` TINYINT(4) DEFAULT '0' NOT NULL	Already Done
ALTER TABLE `cpg14xusergroups` ADD `num_file_upload` TINYINT(4) DEFAULT '5' NOT NULL	Already Done
ALTER TABLE `cpg14xusergroups` ADD `num_URI_upload` TINYINT(4) DEFAULT '3' NOT NULL	Already Done
CREATE TABLE IF NOT EXISTS `cpg14xtemp_data` ( `unique_ID` CHAR( 8 ) NOT NULL , `encoded_string` BLOB NOT NULL , `timestamp` INT( 11 ) UNSIGNED NOT NULL , PRIMARY KEY ( `unique_ID` ) ) TYPE = MYISAM COMMENT = 'Holds temporary file data for multiple file uploads'	OK
UPDATE `cpg14xconfig` SET value='classic' WHERE (name='theme' AND value='default')	Already Done
DELETE FROM `cpg14xfiletypes` WHERE mime='text/html'	OK
UPDATE `cpg14xconfig` SET value='\$\\ \\ \\ :~?*"\\<> ` &' WHERE name='forbidden_fname_char'	Already Done
ALTER TABLE `cpg14xusers` CHANGE user_lang user_group_list varchar(255) NOT NULL default ""	Already Done
ALTER TABLE cpg14xpictures DROP INDEX `owner_id`	Already Done
ALTER TABLE cpg14xpictures DROP INDEX `owner_id_2`	Already Done
ALTER TABLE cpg14xpictures ADD INDEX owner_id( `owner_id` )	Already Done
ALTER TABLE cpg14xpictures ADD `galleryicon` INT UNSIGNED DEFAULT '0' NOT NULL AFTER `approved`	Already Done
ALTER TABLE `cpg14xpictures` ADD `lasthit_ip` TINYTEXT	Already Done
CREATE TABLE `cpg14xfavpics` ( `user_id` INT( 11 ) NOT NULL , `user_favpics` TEXT NOT NULL , PRIMARY KEY ( `user_id` ) ) COMMENT = 'Stores the server side favourites'	Already Done
CREATE TABLE cpg14xdict ( keyId bigint(20) NOT NULL auto_increment, keyword varchar(60) NOT NULL default "", PRIMARY KEY (keyId) ) TYPE=MyISAM COMMENT = 'Holds the keyword dictionary'	Already Done
ALTER TABLE `cpg14xusers` CHANGE `user_location` `user_profile1` VARCHAR(255)	Already Done
ALTER TABLE `cpg14xusers` CHANGE `user_interests` `user_profile2` VARCHAR(255)	Already Done
ALTER TABLE `cpg14xusers` CHANGE `user_website` `user_profile3` VARCHAR(255)	Already Done
ALTER TABLE `cpg14xusers` CHANGE `user_occupation` `user_profile4` VARCHAR(255)	Already Done
ALTER TABLE `cpg14xusers` ADD `user_profile5` varchar(255) default "" NOT NULL	Already Done

ALTER TABLE `cpg14xusers` ADD `user_profile6` varchar(255) default '' NOT NULL	Already Done
ALTER TABLE `cpg14xusers` CHANGE `user_password` `user_password` VARCHAR( 40 ) NOT NULL default ''	Already Done
INSERT INTO cpg14xconfig VALUES ('user_profile1_name', 'Location')	Already Done
INSERT INTO cpg14xconfig VALUES ('user_profile2_name', 'Interests')	Already Done
INSERT INTO cpg14xconfig VALUES ('user_profile3_name', 'Website')	Already Done
INSERT INTO cpg14xconfig VALUES ('user_profile4_name', 'Occupation')	Already Done
INSERT INTO cpg14xconfig VALUES ('user_profile5_name', '')	Already Done
INSERT INTO cpg14xconfig VALUES ('user_profile6_name', 'Biography')	Already Done
INSERT INTO cpg14xconfig VALUES ('language_fallback', '0')	Already Done
INSERT INTO cpg14xconfig VALUES ('time_offset', '0')	Already Done
ALTER TABLE `cpg14xusers` CHANGE `user_profile6` `user_profile6` TEXT NOT NULL	Already Done
ALTER TABLE `cpg14xalbums` ADD `alb_password` varchar(32) default ''	Already Done
INSERT INTO cpg14xconfig VALUES ('ban_private_ip', '0')	Already Done
INSERT INTO cpg14xconfig VALUES ('smtp_host', '')	Already Done
INSERT INTO cpg14xconfig VALUES ('smtp_username', '')	Already Done
INSERT INTO cpg14xconfig VALUES ('smtp_password', '')	Already Done
INSERT INTO cpg14xconfig VALUES ('enable_plugins', '1')	Already Done
CREATE TABLE cpg14xplugins ( plugin_id int(10) unsigned NOT NULL auto_increment, name varchar(64) NOT NULL default '', path varchar(128) NOT NULL default '', priority int(10) unsigned NOT NULL default '0', PRIMARY KEY (plugin_id), UNIQUE KEY name (name), UNIQUE KEY path (path) ) TYPE=MyISAM COMMENT='Stores the plugins'	Already Done
INSERT INTO cpg14xconfig VALUES ('enable_help', '2')	Already Done
INSERT INTO cpg14xconfig VALUES ('allow_email_change', '0')	Already Done
INSERT INTO cpg14xconfig VALUES ('show_which_exif', '0 0 0 0 0 0 1 0 1 1 0 0 0 0 0 0 0 0 1 0 0 0 1 0 0 0 1 1 0 0 0 0 1 0 0 0 1 1 0 0 0 0 0 1 0 1 1')	Already Done
DELETE FROM cpg14xconfig WHERE `name` = 'alb_desc_thumb'	Already Done
ALTER TABLE `cpg14xalbums` ADD `alb_password_hint` TEXT	Already Done
INSERT INTO cpg14xconfig VALUES ('categories_alpha_sort', '0')	Already Done
ALTER TABLE `cpg14xbanned` ADD `brute_force` TINYINT( 5 ) DEFAULT '0' NOT NULL	Already Done
INSERT INTO cpg14xconfig VALUES ('login_threshold', '5')	Already Done
INSERT INTO cpg14xconfig VALUES ('login_expiry', '10')	Already Done
INSERT INTO cpg14xconfig VALUES ('clickable_keyword_search', '1')	Already Done
INSERT INTO cpg14xconfig VALUES ('link_pic_count', '0')	Already Done

ALTER TABLE cpg14xpictures ADD position INT(11) DEFAULT '0' NOT NULL	Already Done
INSERT INTO cpg14xconfig VALUES ('auto_resize', '0')	Already Done
CREATE TABLE cpg14xbridge ( name varchar(40) NOT NULL default '0', value varchar(255) NOT NULL default '', UNIQUE KEY name (name) ) TYPE=MyISAM	Already Done
INSERT INTO cpg14xbridge VALUES ('short_name', '')	Already Done
INSERT INTO cpg14xbridge VALUES ('license_number', '')	Already Done
INSERT INTO cpg14xbridge VALUES ('db_database_name', '')	Already Done
INSERT INTO cpg14xbridge VALUES ('db_hostname', '')	Already Done
INSERT INTO cpg14xbridge VALUES ('db_username', '')	Already Done
INSERT INTO cpg14xbridge VALUES ('db_password', '')	Already Done
INSERT INTO cpg14xbridge VALUES ('full_forum_url', '')	Already Done
INSERT INTO cpg14xbridge VALUES ('relative_path_of_forum_from_webroot', '')	Already Done
INSERT INTO cpg14xbridge VALUES ('relative_path_to_config_file', '')	Already Done
INSERT INTO cpg14xbridge VALUES ('logout_flag', '')	Already Done
INSERT INTO cpg14xbridge VALUES ('use_post_based_groups', '')	Already Done
INSERT INTO cpg14xbridge VALUES ('cookie_prefix', '')	Already Done
INSERT INTO cpg14xbridge VALUES ('table_prefix', '')	Already Done
INSERT INTO cpg14xbridge VALUES ('user_table', '')	Already Done
INSERT INTO cpg14xbridge VALUES ('session_table', '')	Already Done
INSERT INTO cpg14xbridge VALUES ('group_table', '')	Already Done
INSERT INTO cpg14xbridge VALUES ('group_relation_table', '')	Already Done
INSERT INTO cpg14xbridge VALUES ('group_mapping_table', '')	Already Done
INSERT INTO cpg14xbridge VALUES ('use_standard_groups', '1')	Already Done
INSERT INTO cpg14xbridge VALUES ('validating_group', '')	Already Done
INSERT INTO cpg14xbridge VALUES ('guest_group', '')	Already Done
INSERT INTO cpg14xbridge VALUES ('member_group', '')	Already Done
INSERT INTO cpg14xbridge VALUES ('admin_group', '')	Already Done
INSERT INTO cpg14xbridge VALUES ('banned_group', '')	Already Done
INSERT INTO cpg14xbridge VALUES ('global_moderators_group', '')	Already Done
INSERT INTO cpg14xbridge VALUES ('recovery_logon_failures', '0')	Already Done
INSERT INTO cpg14xbridge VALUES ('recovery_logon_timestamp', '')	Already Done

INSERT INTO cpg14xconfig VALUES ('bridge_enable', '0')	Already Done
CREATE TABLE cpg14xvote_stats ( `sid` int(11) NOT NULL auto_increment, `pid` varchar(100) NOT NULL default "", `rating` smallint(6) NOT NULL default '0', `ip` varchar(20) NOT NULL default "", `sdate` bigint(20) NOT NULL default '0', `referer` text NOT NULL, `browser` varchar(255) NOT NULL default "", `os` varchar(50) NOT NULL default "", PRIMARY KEY ( `sid` ) )	Already Done
INSERT INTO cpg14xconfig VALUES ('vote_details', '0')	Already Done
CREATE TABLE cpg14xhit_stats ( `sid` int(11) NOT NULL auto_increment, `pid` varchar(100) NOT NULL default "", `ip` varchar(20) NOT NULL default "", `search_phrase` varchar(255) NOT NULL default "", `sdate` bigint(20) NOT NULL default '0', `referer` text NOT NULL, `browser` varchar(255) NOT NULL default "", `os` varchar(50) NOT NULL default "", PRIMARY KEY ( `sid` ) )	Already Done
INSERT INTO cpg14xconfig VALUES ('hit_details', '0')	Already Done
INSERT INTO cpg14xconfig VALUES ('browse_batch_add', '1')	Already Done
INSERT INTO cpg14xconfig VALUES ('custom_header_path', '')	Already Done
INSERT INTO cpg14xconfig VALUES ('custom_footer_path', '')	Already Done
INSERT INTO cpg14xconfig VALUES ('comments_sort_descending', '0')	Already Done
INSERT INTO cpg14xconfig VALUES ('report_post', '0')	Already Done
INSERT INTO cpg14xconfig VALUES ('users_can_edit_pics', '0')	Already Done
INSERT INTO cpg14xconfig VALUES ('allow_unlogged_access', '1')	Already Done
INSERT INTO cpg14xconfig VALUES ('home_target', 'index.php')	Already Done
DELETE FROM cpg14xconfig WHERE `name` = 'comment_email_notification'	Already Done
DELETE FROM cpg14xconfig WHERE `name` = 'hide_admin_uploader'	Already Done
INSERT INTO cpg14xconfig VALUES ('custom_lnk_name', '')	Already Done
INSERT INTO cpg14xconfig VALUES ('custom_lnk_url', '')	Already Done
INSERT INTO cpg14xconfig VALUES ('comments_anon_pfx', 'Guest_')	Already Done
DELETE FROM cpg14xconfig WHERE `name` = 'admin_activate'	Already Done
INSERT INTO cpg14xconfig VALUES ('admin_activation', '0')	Already Done
ALTER TABLE cpg14xpictures CHANGE `mtime` `mtime` DATETIME	Already Done
DELETE FROM cpg14xexif	OK
DELETE FROM cpg14xconfig WHERE `name` = 'randpos_interval'	Already Done
ALTER TABLE cpg14xpictures DROP INDEX `randpos`	Already Done
ALTER TABLE cpg14xpictures DROP `randpos`	Already Done
ALTER TABLE `cpg14xpictures` CHANGE `mtime` `mtime` DATETIME NOT NULL DEFAULT '0000-00-00 00:00:00'	Already Done
ALTER TABLE `cpg14xalbums` CHANGE `description` `description` TEXT NOT NULL	Already Done

**Warning: mysql\_fetch\_array(): supplied argument is not a valid MySQL**

**result resource**

**in /home/www/67e93c85bafd78bc3ff474ec9c63df0b/web/cpg1421/update.php  
on line 47**

**Warning: mysql\_free\_result(): supplied argument is not a valid MySQL  
result resource**

**in /home/www/67e93c85bafd78bc3ff474ec9c63df0b/web/cpg1421/update.php  
on line 50**

**Upgrade completed**

**It's recommended to [check your file versions](#) if you just upgraded from an  
older version of coppermine.**

**If you didn't (or you don't want to check), you can go to [your gallery's start  
page](#)**